

STONE HUB SERIES

With functional sizes, eye-catching textures and muted tones, our **STONE HUB** tiles compliment a plethora of modern design spaces. Featured across commercial and residential projects, in bathrooms, lobby, living and outdoor areas. Matt and grip finishes available in 600x600mm.



PRODUCT TYPE: Glazed porcelain

COLOURS: Warm White, Cream, Silver Grey, Terra, Taupe and Charcoal


SIZES: 300x300mm
600x600mm
600x1200mm
Rectified Edges

FINISHES/USAGE: Matt/Wall & Floor

AESTHETIC QUALITIES: Neutral tones with a textured look

TECHNICAL DATA: P3 Pendulum (Matt)
P5 Pendulum (Grip)
More technical data on last page

VARIATION:



V2


STONE HUB SERIES

PRODUCT INFORMATION



Warm White

Matt 300x300mm | 600x600mm
600x1200mm
Grip 600x600mm




Cream

Matt 300x300mm | 600x600mm
600x1200mm
Grip 600x600mm



Silver Grey

Matt 300x300mm | 600x600mm
600x1200mm
Grip 600x600mm




Terra

Matt 300x300mm | 600x600mm
Grip 600x600mm



Taupe

Matt 300x300mm | 600x600mm
Grip 600x600mm



Charcoal

Matt 300x300mm | 600x600mm
600x1200mm
Grip 600x600mm










STONEHUB SERIES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

STONE HUB SERIES

TECHNICAL DATA

	technical characteristics	test method	result
	water absorption	ISO 10545-3	0.21%
	breaking strength	ISO 10545-4	≥ 1785N
	frost resistance	ISO 10545-12	Guaranteed
	bending strength	ISO 10545-4	≥ 33.5MPA
	abrasion resistance	ISO 10545-7	Class 3
	chemical resistance	ISO 10545-13	GLA/GA
	resistance to staining	ISO 10545-14	class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.