

COLORADO SERIES

A sleek interpretation of slate, **COLORADO** Series features realistic textures and irregularities of this beautiful natural stone. Available in four colours and three finishes suitable for both wall and floor.



PRODUCT TYPE: Glazed, colour bodied porcelain

COLOURS: Ivory, Greige, Silver, Dark Grey and Black


SIZES: 75x300mm, 300x600mm, 600x600mm and 600x1200mm
Rectified Edges

FINISHES/USAGE: Matt and Grip/Wall and Floor

AESTHETIC QUALITIES: Natural slate look

TECHNICAL DATA: P2 Pendulum slip rating (600x1200mm)
P3 Pendulum slip rating (Matt)
P5 Pendulum slip rating (Grip)
More technical data on the last page

VARIATION:



V3

COLORADO SERIES

PRODUCT INFORMATION



Ivory

Matt 75x300mm | 300x600mm | 600x600mm
600x1200mm
Grip 300x600mm



Greige

Matt 75x300mm | 300x600mm | 600x600mm
600x1200mm



Silver

Matt 75x300mm | 300x600mm | 600x600mm
Grip 300x600mm



Dark Grey

Matt 75x300mm | 300x600mm | 600x600mm
Grip 300x600mm



Black

Matt 75x300mm | 300x600mm | 600x600mm

COLORADO SERIES

IVORY VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

COLORADO SERIES

GREIGE VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

COLORADO SERIES

SILVER VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

COLORADO SERIES

DARK GREY VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

COLORADO SERIES

BLACK VARIATION



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

COLORADO SERIES









LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

COLORADO SERIES

TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	≤0.5%	≤0.5%
	modulus of rupture	ISO 10545-4	≥35	≥38
	surface quality	ISO 10545-2	Full compliance	complies
	breaking strength	ISO 10545-4	≥1100	3500
	crazing resistance	ISO 10545-11	Pass	Pass
	chemical resistance	ISO 10545-13	Declared value	ULA UHB
	resistance to frost	ISO 10545-12	resistant	resistant
	staining resistance	ISO 10545-14	Minimum Class 3	Class 5

Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.