

# FORNACE 2.0 SERIES

**FORNACE 2.0** Series is a modern twist on traditional Mediterranean cotto flooring. Featuring a soft textured surface and warm tones, it is available in a matt finish and contemporary sizes, allowing it to be a versatile range.



**PRODUCT TYPE:** Glazed porcelain

**COLOURS:** Avorio, Zafferano and Rosato

**SIZES:** 75x300mm, 150x300mm and 600x600mm  
Rectified Edges

**FINISHES/USAGE:**

Matt/Wall and Floor


**AESTHETIC QUALITIES:**

Soft textured surface and warm tones

**TECHNICAL DATA:**

P4 Pendulum Slip rating (Matt)  
More technical data on last page

**VARIATION:**



V2

# FORNACE 2.0 SERIES

## PRODUCT INFORMATION



**Avorio**

---


Matt 75x300mm | 150x300mm | 600x600mm



**Zafferano**

---

Matt 75x300mm | 150x300mm | 600x600mm



**Rosato**

---

Matt 75x300mm | 150x300mm | 600x600mm

# FORNACE 2.0 SERIES

## LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# FORNACE 2.0 SERIES

## LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# FORNACE 2.0 SERIES









## LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# FORNACE 2.0 SERIES

## TECHNICAL DATA

	technical characteristics	test method	required values	result
	water absorption	ISO 10545-3	$\leq 0.5\%$	$\leq 0.2\%$
	modulus of rupture	ISO 10545-4	$\geq 35 \text{ N/mm}^2$	compliant
	surface quality	ISO 10545-2	Complies with the standards	$\geq 95\%$
	thermal shock resistance	ISO 10545-9	No sample must show visible defects	compliant
	deep abrasion resistance	ISO 10545-6	$\leq 175 \text{ mm}^3$	compliant
	chemical resistance	ISO 10545-13	Declared value	compliant
	resistance to frost	ISO 10545-12	Resistant	compliant
	staining resistance	ISO 10545-14	Minimum Class 3	compliant