

LONDON SERIES

A mix of ceramic and porcelain tiles in black and white colours. **LONDON** Series features a bevelled wall tile and matching floor tiles



PRODUCT TYPE: Ceramic and porcelain tiles

COLOURS: White and Black


SIZES: 75x150mm, 100x200mm ,100x300mm and 200x200mm
Non-Rectified Edges

FINISHES/USAGE: Gloss and Matt/Wall and Floor

AESTHETIC QUALITIES: A mix of bevelled and plain tiles

TECHNICAL DATA: More technical data on last page


VARIATION:



V1


LONDON SERIES

PRODUCT INFORMATION




White

Gloss 75x150mm | 100x200mm | 100x300mm
200x200mm
Matt 75x150mm | 100x200mm | 100x300mm




Black

Gloss 75x150mm | 100x200mm | 100x300mm
Matt 75x150mm | 100x300mm



White Bevelled

Gloss 75x150mm | 100x200mm
Matt 75x150mm



Black Bevelled



Gloss 75x150mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

LONDON SERIES

LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

LONDON SERIES








LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

LONDON SERIES

TECHNICAL DATA

	technical characteristics	test method	required values	value
	water absorption	iso 10545-3	0,5%<E 3%	0,5%<E 3%
	frost resistance	iso 10545-12	no alterations	resistant
	breaking strength (S)	iso 10545-4	Min. 1300N For thickness 7,5mm Min. 700N For thickness<7,5mm	>700N
	thermal shock resistance	iso 10545-9	test method available	resistant
	chemical resistance	iso 10545-13	resistant	resistant
	stain resistance	iso 10545-14	test method available	class 3
	surface abrasion	iso 10545-7	Report Abrasion Class and cycles passed	PEI 1-4