

# PORTLAND 2.0 SERIES

The terrazzo look without the associated maintenance. **PORTLAND 2.0** series is available with four contemporary colours and is suitable for all environments with matt and grip finishes.



**PRODUCT TYPE:** Glazed porcelain

**COLOURS:** Cement, Asphalt, Gravel and Organic

**SIZES:** 300x600mm and 600x600mm  
Rectified Edges


**FINISHES/USAGE:** Matt and Grip/Wall and Grip

**AESTHETIC QUALITIES:** Terrazzo look

**ORIGIN:** N/A

**TECHNICAL DATA:** P3 Pendulum Slip Rating (Matt)  
P5 Pendulum Slip Rating (Grip)  
More technical data on last page


**VARIATION:**



V2

# PORTLAND 2.0 SERIES

## PRODUCT INFORMATION




**Gravel**

Matt 300x600mm | 600x600mm




**Organic**

Matt 300x600mm | 600x600mm  
Grip 300x600mm



**Cement**

Matt 300x600mm | 600x600mm  
Grip 300x600mm



**Asphalt**

Matt 300x600mm | 600x600mm  
Grip 300x600mm



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# PORTLAND 2.0 SERIES







## LIFESTYLE IMAGES



Variation is an inherent property of tiles and stone. Sizes are nominal and may include a joint.

# PORTLAND 2.0 SERIES

## TECHNICAL DATA

	<b>technical characteristics</b> Group B I a	<b>test method</b>	<b>required values</b>	<b>value</b>
	water absorption	iso 10545-3	$\leq 0.5\%$	0.21%
	bending strength	iso 10545-4	$\geq 12\text{MPA}$	$\geq 33.5\text{MPA}$
	breaking strength (S)	iso 10545-4	$\geq 350\text{ N}$	$\geq 1785\text{N}$
	abrasion resistace	iso 10545-7	Max. 175 mm <sup>3</sup> PEI 1-5	Class3
	chemical resistance	iso 10545-13	Household chemicals and swimming pool salts  Low concentration of acids and alkalis	GA  GLA
	stain resistance	iso 10545-14	Minimum Class 3	Class 5